

SE

STEIN EDELSTAHL



2016/1 RAILING SYSTEM | GELÄNDERSYSTEM

01- GLASS CLAMPS GLASHALTER	02-04
02- ZINC GLASS CLAMPS GLASHALTER VERZINKT	04-05
03- RUBBER & ACCESSORIES FOR GLASS CLAMPS GUMMI & ZUBEHÖR FÜR GLASHALTER	06-07
04- CROSSBAR HOLDER TRAVERSENHALTER	08-09
05- END CAP ENDKAPPE	10-11
06- END BALL ENDKUGEL	12

01- HANDRAIL BRACKET HANDLAUFHALTER WANDMONTAGE	13-15
02- ELBOW/FLUSH ANGLE ROHRBÖGEN/ROHRVERBINDER	16-19
03- END CAP ROHRENDSTÜCK	20
04- BASE COVER ABDECKROSETTE	22
05- BASE PLATE ANKERPLATTE	23
06- BRACKET & CONNECTOR HALTER & VERBINDER	24-25

01- CABLE SYSTEM SEILSYSTEM	26-29
02- SADDLE ANSCHRAUBPLATTE	30
03- HANDRAIL BRACKET STIFTE	31
04- SQUARE TUBE SOLUTION VIERKANTBÖGEN/VERBINDER	34
05- HANDRAIL BRACKET HANDLAUFHALTER ROHR	35-37
06- SHEET/BAR HOLDER BLECHHALTER	38


01- GLASS HOLDER GLASPUNKTHALTER	39
02- BALUSTER BRACKET SOLUTION PFOSTENHALTER	40-41
03- U-TUBE SYSTEM U-PROFILSYSTEM	42-43





GLASS CLAMPS SOLUTION | GLASHALTER

AISI 304/AISI 316




IN AISI 316, 304, FOR TUBE FLAT,
33.7MM,38.1MM,42.4MM,48.3MM AND 50.8MM;
FOR GLASS 6MM,6.76MM, 8MM, 8.76MM, 9.52MM,10MM,
10.76MM, 12MM,12.76MM, FINISH IN SATIN OR POLISH;




GLASS CLAMPS SOLUTION | GLASHALTER


AISI 304/AISI 316




ITEM NO.	Ø	GLASS(T)
00-4050-10S	FLAT	6/6.76/8/8.76/9.52/10



ITEM NO.	Ø	GLASS(T)
00-4563-11S	FLAT	8/8.76/10/10.76/12/12.76



ITEM NO.	Ø	GLASS(T)
33-4050-10S	33.7	6/6.76/8/8.76/9.52/10
42-4050-10S	42.4	6/6.76/8/8.76/9.52/10
48-4050-10S	48.3	6/6.76/8/8.76/9.52/10
38-4050-10S	38.1	6/6.76/8/8.76/9.52/10
50-4050-10S	50.8	6/6.76/8/8.76/9.52/10




ITEM NO.	Ø	GLASS(T)
33-4563-11S	33.7	8/8.76/10/10.76/12/12.76
42-4563-11S	42.4	8/8.76/10/10.76/12/12.76
48-4563-11S	48.3	8/8.76/10/10.76/12/12.76
38-4563-11S	38.1	8/8.76/10/10.76/12/12.76
50-4563-11S	50.8	8/8.76/10/10.76/12/12.76


INSTALLATION INSTRUCTIONS | MONTAGEANLEITUNG

INSTALL THE
DECOMPOSITION


MOUNTING 1





MOUNTING 2

INSTALL THE
DECOMPOSITION

MOUNTING 1




MOUNTING 2




GLASS CLAMPS SOLUTION | GLASHALTER


AISI 304/AISI 316




ITEM NO.	Ø	GLASS(T)
00-4545-12S	FLAT	6/8/8.76/9.52/10




ITEM NO.	Ø	GLASS(T)
00-5555-13S	FLAT	8/8.76/10/10.76/11.52/12/12.76




ITEM NO.	Ø	GLASS(T)
33-4545-12S	33.7	6/8/8.76/9.52/10
42-4545-12S	42.4	6/8/8.76/9.52/10
48-4545-12S	48.3	6/8/8.76/9.52/10
38-4545-12S	38.1	6/8/8.76/9.52/10
50-4545-12S	50.8	6/8/8.76/9.52/10



ITEM NO.	Ø	GLASS(T)
42-5555-13S	42.4	8/8.76/10/10.76/11.52/12/12.76
48-5555-13S	48.3	8/8.76/10/10.76/11.52/12/12.76
50-5555-13S	50.8	8/8.76/10/10.76/11.52/12/12.76




ITEM NO.	Ø	GLASS(T)
SB00-60BD-14S	FLAT	8/8.76/10/10.76/12/12.76
SB42-60BD-14S	42.4	8/8.76/10/10.76/12/12.76
SB48-60BD-14S	48.3	8/8.76/10/10.76/12/12.76
SB38-60BD-14S	38.1	8/8.76/10/10.76/12/12.76
SB50-60BD-14S	50.8	8/8.76/10/10.76/12/12.76




ITEM NO.	Ø	GLASS(T)
SB00-60GS-14S	FLAT	8/8.76/10/10.76/12/12.76
SB42-60GS-14S	42.4	8/8.76/10/10.76/12/12.76
SB48-60GS-14S	48.3	8/8.76/10/10.76/12/12.76
SB38-60GS-14S	38.1	8/8.76/10/10.76/12/12.76
SB50-60GS-14S	50.8	8/8.76/10/10.76/12/12.76


GLASS CLAMPS SOLUTION | GLASHALTER ZINC




ITEM NO.	Ø	GLASS(T)
00-4050-20Z	FLAT	6/6.76/8/8.76/10



ITEM NO.	Ø	GLASS(T)
00-4563-21Z	FLAT	8/8.76/10/10.76/12/12.76




ITEM NO.	Ø	GLASS(T)
00-4050-20Z	33.7	6/6.76/8/8.76/10
42-4050-20Z	42.4	6/6.76/8/8.76/10
48-4050-20Z	48.3	6/6.76/8/8.76/10
38-4050-20Z	38.1	6/6.76/8/8.76/10
50-4050-20Z	50.8	6/6.76/8/8.76/10




ITEM NO.	Ø	GLASS(T)
33-4563-21Z	33.7	8/8.76/10/10.76/12/12.76
42-4563-21Z	42.4	8/8.76/10/10.76/12/12.76
48-4563-21Z	48.3	8/8.76/10/10.76/12/12.76
38-4563-21Z	38.1	8/8.76/10/10.76/12/12.76
50-4563-21Z	50.8	8/8.76/10/10.76/12/12.76

INSTALLATION INSTRUCTIONS | MONTAGEANLEITUNG




INSTALL THE
DECOMPOSITION


MOUNTING 1



MOUNTING 2




MOUNTING 3





INSTALL THE
DECOMPOSITION


MOUNTING 1




MOUNTING 2




GLASS CLAMPS SOLUTION | GLASHALTER ZINC




ITEM NO.	Ø	GLASS(T)
00-4545-22Z	FLAT	6/6.76/8/8.76/10



ITEM NO.	Ø	GLASS(T)
00-5252-23Z	FLAT	8/8.76/10/10.76/11.52/12/12.76



ITEM NO.	Ø	GLASS(T)
00-4545-22Z	33.7	6/6.76/8/8.76/10
42-4545-22Z	42.4	6/6.76/8/8.76/10
48-4545-22Z	48.3	6/6.76/8/8.76/10
38-4545-22Z	38.1	6/6.76/8/8.76/10
50-4545-22Z	50.8	6/6.76/8/8.76/10



ITEM NO.	Ø	GLASS(T)
42-5252-23Z	42.4	8/8.76/10/10.76/11.52/12/12.76
48-5252-23Z	48.3	8/8.76/10/10.76/11.52/12/12.76
50-5252-23Z	50.8	8/8.76/10/10.76/11.52/12/12.76



ITEM NO.	Ø	GLASS(T)
SB00-BD60-24Z	FLAT	8/8.76/10/10.76/12/12.76
SB42-BD60-24Z	42.4	8/8.76/10/10.76/12/12.76
SB48-BD60-24Z	48.3	8/8.76/10/10.76/12/12.76
SB38-BD60-24Z	38.1	8/8.76/10/10.76/12/12.76
SB50-BD60-24Z	50.8	8/8.76/10/10.76/12/12.76



ITEM NO.	Ø	GLASS(T)
SB00-SG60-24Z	FLAT	8/8.76/10/10.76/12/12.76
SB42-SG60-24Z	42.4	8/8.76/10/10.76/12/12.76
SB48-SG60-24Z	48.3	8/8.76/10/10.76/12/12.76
SB38-SG60-24Z	38.1	8/8.76/10/10.76/12/12.76
SB50-SG60-24Z	50.8	8/8.76/10/10.76/12/12.76

RUBBER & ACCESSORIES FOR | GUMMI & ZUBEHÖR FÜR GLASS CLAMPS | GLASHALTER EPDM



ITEM NO.	GLASS(T)	PCS PER GLASS CLAMP
0006-10S-BR	6	2
0676-10S-BR	6.76	2
0008-10S-BR	8	2
0876-10S-BR	8.76	2
0010-10S-BR	10	2



ITEM NO.	GLASS(T)	PCS PER GLASS CLAMP
0006-12S-BR	6	2
0676-12S-BR	6.76	2
0008-12S-BR	8	2
0876-12S-BR	8.76	2
0010-12S-BR	10	2




ITEM NO.	GLASS(T)	PCS PER GLASS CLAMP
0006-11S-BR	6	2
0676-11S-BR	6.76	2
0008-11S-BR	8	2
0876-11S-BR	8.76	2
0010-11S-BR	10	2
1076-11S-BR	10.76	2
0012-11S-BR	12	2
1276-11S-BR	12.76	2



ITEM NO.	GLASS(T)	PCS PER GLASS CLAMP
0008-13S-BR	8	2
0876-13S-BR	8.76	2
0952-13S-BR	9.52	2
0010-13S-BR	10	2
1076-13S-BR	10.76	2
1152-13S-BR	11.52	2
0012-13S-BR	12	2
1276-13S-BR	12.76	2



ITEM NO.	GLASS(T)	PCS PER GLASS CLAMP
0008-14S-BR	8	4
0876-14S-BR	8.76	4
0010-14S-BR	10	4
1076-14S-BR	10.76	4
0012-14S-BR	12	4
1276-14S-BR	12.76	4



ITEM NO.	L
0018-PS-PS	18
0019-PS-PS	19
0022-PS-PS	22
0025-PS-PS	25
0030-PS-PS	30
20-8D-18-PS-PS	20

RUBBER & ACCESSORIES FOR | GUMMI & ZUBEHÖR FÜR GLASS CLAMPS | GLASHALTER



ITEM NO.	L
18-SS-PS	18
19-SS-PS	19
22-SS-PS	22
28-SS-PS	25
30-SS-PS	30



ITEM NO.	Ø	H
6M-SP-CS	13	3



ITEM NO.	L	Ø	H	D
M8-2013-SS-TS	20	13	8	M8
M8-2513-SS-TS	25	13	8	M8
M8-3013-SS-TS	30	13	8	M8
M8-3513-SS-TS	35	13	8	M8



ITEM NO.	L	Ø	D
M6-1412-SS-SC	14	12	M6
M6-1612-SS-SC	16	12	M6
M6-2012-SS-SC	20	12	M6



ITEM NO.	D	ITEM NO.	Ø
DH-TH	M5/M6/M8/M10	DH-DRI	4.5/5.3/7.3/9.2



ITEM NO.	D
M6-VR	M6
M8-VR	M8





ITEM NO.
TR-01

FLOWDRILL



CROSSBAR HOLDER | TRAVERSENHALTER

AISI 304/AISI 316







ITEM NO.	Ø	A	B	C
22-0010-30S	FLAT	10	22	20
22-0012-30S	FLAT	12	22	20
22-0014-30S	FLAT	14	22	20
25-0016-30S	FLAT	16	25	25
22-3310-30S	33.7	10	22	20
22-4210-30S	42.4	10	22	20
22-4810-30S	48.3	10	22	20
22-3810-30S	38.1	10	22	20
22-5010-30S	50.8	10	22	20
22-3312-30S	33.7	12	22	20
22-4212-30S	42.4	12	22	20
22-4812-30S	48.3	12	22	20
22-3812-30S	38.1	12	22	20
22-5012-30S	50.8	12	22	20
22-3314-30S	33.7	14	22	20
22-4214-30S	42.4	14	22	20
22-4814-30S	48.3	14	22	20
22-3814-30S	38.1	14	22	20
22-5014-30S	50.8	14	22	20
25-3316-30S	33.7	16	25	25
25-4216-30S	42.4	16	25	25
25-4816-30S	48.3	16	25	25
25-3816-30S	38.1	16	25	25
25-5016-30S	50.8	16	25	25


ITEM NO.	Ø	A	B	C
22-0010-31S	FLAT	10	22	20
22-0012-31S	FLAT	12	22	20
22-0014-31S	FLAT	14	22	20
25-0016-31S	FLAT	16	25	25
22-3310-31S	33.7	10	22	20
22-4210-31S	42.4	10	22	20
22-4810-31S	48.3	10	22	20
22-3810-31S	38.1	10	22	20
22-5010-31S	50.8	10	22	20
22-3312-31S	33.7	12	22	20
22-4212-31S	42.4	12	22	20
22-4812-31S	48.3	12	22	20
22-3812-31S	38.1	12	22	20
22-5012-31S	50.8	12	22	20
22-3314-31S	33.7	14	22	20
22-4214-31S	42.4	14	22	20
22-4814-31S	48.3	14	22	20
22-3814-31S	38.1	14	22	20
22-5014-31S	50.8	14	22	20
25-3316-31S	33.7	16	25	25
25-4216-31S	42.4	16	25	25
25-4816-31S	48.3	16	25	25
25-3816-31S	38.1	16	25	25
25-5016-31S	50.8	16	25	25

INSTALLATION INSTRUCTIONS | MONTAGEANLEITUNG


INSTALL THE DECOMPOSITION



RIVET




FLOWDRILI




CROSSBAR HOLDER | TRAVERSENHALTER

AISI 304/AISI 316



LEFT BLIND HOLE

ITEM NO.	Ø	A	B	C
22-0010-32S	FLAT	10	22	20
22-0012-32S	FLAT	12	22	20
22-0014-32S	FLAT	14	22	20
25-0016-32S	FLAT	16	25	25
22-3310-32S	33.7	10	22	20
22-4210-32S	42.4	10	22	20
22-4810-32S	48.3	10	22	20
22-3810-32S	38.1	10	22	20
22-5010-32S	50.8	10	22	20
22-3312-32S	33.7	12	22	20
22-4212-32S	42.4	12	22	20
22-4812-32S	48.3	12	22	20
22-3812-32S	38.1	12	22	20
22-5012-32S	50.8	12	22	20
22-3314-32S	33.7	14	22	20
22-4214-32S	42.4	14	22	20
22-4814-32S	48.3	14	22	20
22-3814-32S	38.1	14	22	20
22-5014-32S	50.8	14	22	20
25-3316-32S	33.7	16	25	25
25-4216-32S	42.4	16	25	25
25-4816-32S	48.3	16	25	25
25-3816-32S	38.1	16	25	25
25-5016-32S	50.8	16	25	25




RIGHT BLIND HOLE

ITEM NO.	Ø	A	B	C
22-0010-33S	FLAT	10	22	20
22-0012-33S	FLAT	12	22	20
22-0014-33S	FLAT	14	22	20
25-0016-33S	FLAT	16	25	25
22-3310-33S	33.7	10	22	20
22-4210-33S	42.4	10	22	20
22-4810-33S	48.3	10	22	20
22-3810-33S	38.1	10	22	20
22-5010-33S	50.8	10	22	20
22-3312-33S	33.7	12	22	20
22-4212-33S	42.4	12	22	20
22-4812-33S	48.3	12	22	20
22-3812-33S	38.1	12	22	20
22-5012-33S	50.8	12	22	20
22-3314-33S	33.7	14	22	20
22-4214-33S	42.4	14	22	20
22-4814-33S	48.3	14	22	20
22-3814-33S	38.1	14	22	20
22-5014-33S	50.8	14	22	20
25-3316-33S	33.7	16	25	25
25-4216-33S	42.4	16	25	25
25-4816-33S	48.3	16	25	25
25-3816-33S	38.1	16	25	25
25-5016-33S	50.8	16	25	25




END CAP | ENDKAPPE


AISI 304/AISI 316




ITEM NO.	Ø	H
06-3320-40S	33.7x2.0	6
06-4220-40S	42.4x2.0	6
06-4820-40S	48.3x2.0	6
06-3815-40S	38.1x1.5	6
06-5015-40S	50.8x1.5	6




ITEM NO.	Ø	H
M8-3320-43S	33.7x2.0	6
M8-4220-43S	42.4x2.0	6
M8-4820-43S	48.3x2.0	6
M8-3815-43S	38.1x1.5	6
M8-5015-43S	50.8x1.5	6




ITEM NO.	Ø	H
03-3320-41S	33.7x2.0	3
03-4220-41S	42.4x2.0	3
03-4820-41S	48.3x2.0	3
03-3815-41S	38.1x1.5	3
03-5015-41S	50.8x1.5	3



ITEM NO.	Ø	H
M8-3320-44S	33.7x2.0	3
M8-4220-44S	42.4x2.0	3
M8-4820-44S	48.3x2.0	3
M8-3815-44S	38.1x1.5	3
M8-5015-44S	50.8x1.5	3



ITEM NO.	Ø	H
17-3320-42S	33.7x2.0	16.85
21-4220-42S	42.4x2.0	21.2
24-4820-42S	48.3x2.0	24.15
19-3815-42S	38.1x1.5	19.05
25-5015-42S	50.8x1.5	25.4




ITEM NO.	Ø	H
M8-3320-45S	33.7x2.0	16.85
M8-4220-45S	42.4x2.0	21.2
M8-4820-45S	48.3x2.0	24.15
M8-3815-45S	38.1x1.5	19.05
M8-5015-45S	50.8x1.5	25.4




END CAP | ENDKAPPE


AISI 304/AISI 316




ITEM NO.	Ø	H
05-3320-46S	33.7x2.0	5
05-4220-46S	42.4x2.0	5
05-4820-46S	48.3x2.0	5
05-3815-46S	38.1x1.5	5
05-5015-46S	50.8x1.5	5




ITEM NO.	Ø	H
15-3320-47S	33.7x2.0	1.5
15-4220-47S	42.4x2.0	1.5
15-4820-47S	48.3x2.0	1.5
15-3815-47S	38.1x1.5	1.5
15-5015-47S	50.8x1.5	1.5




ITEM NO.	D	H
04-4020-410S	40x40x2	4



ITEM NO.	D×Q	H
04-4020-411S	40x20	4




ITEM NO.	Ø	H
P6-3320-48S	33.7x2.0	6
P6-4220-48S	42.4x2.0	6
P6-4820-48S	48.3x2.0	6
P6-3815-48S	38.1x1.5	6
P6-5015-48S	50.8x1.5	6




ITEM NO.	Ø	H
15-3320-49S	33.7x2.0	10
15-4220-49S	42.4x2.0	10
15-4820-49S	48.3x2.0	10
15-3815-49S	38.1x1.5	10
15-5015-49S	50.8x1.5	10

INSTALLATION INSTRUCTIONS | MONTAGEANLEITUNG


MOUNTING 1




MOUNTING 2



MOUNTING 3



MOUNTING 4




END BALL | ENDKUGEL

AISI 304/AISI 316




SOLID




ITEM NO.	D	G
20M6-412S	20	M6
25M6-412S	25	M6
30M6-412S	30	M6
35M6-412S	35	M6
40M6-412S	40	M6




HOLLOW




ITEM NO.	D	G
LH-50M8-416S	50	M8
LH-60M8-416S	60	M8
LH-70M8-416S	70	M8
LH-80M8-416S	80	M8
LH-100M10-416S	100	M10
LH-120M10-416S	120	M10
LH-150M10-416S	150	M10
LH-200M14-416S	200	M14



ITEM NO.	Ø	D
2010-413S	10	20
2012-413S	12	20
2514-413S	14	25
3016-413S	16	30



ITEM NO.	Ø	D
HD-2010-415S	10	20
HD-2012-415S	12	20
HD-2514-415S	14	25
HD-3016-415S	16	30



ITEM NO.	Ø	D
HT-2010-414S	10	20
HT-2012-414S	12	20
HT-2514-414S	14	25
HT-3016-414S	16	30



HANDRAIL BRACKET | HANDLAUFHALTER WANDMONTAGE


AISI 304/AISI 316




ADJUSTABLE
HANDRAIL
BRACKET

INSTALLATION INSTRUCTIONS | MONTAGEANLEITUNG


MOUNTING 1




MOUNTING 2




MOUNTING 3




MOUNTING 4



MOUNTING 1




MOUNTING 2




HANDRAIL BRACKET | HANDLAUFHALTER WANDMONTAGE


AISI 304/AISI 316




ITEM NO.	D.	Ø
00-2514-55S	FLAT	FLAT/33.7/42.4/48.3
33-2514-55S	33.7	FLAT/33.7/42.4/48.3
42-2514-55S	42.4	FLAT/33.7/42.4/48.3
48-2514-55S	48.3	FLAT/33.7/42.4/48.3
38-2514-55S	38.1	FLAT/38.1/50.8
50-2514-55S	50.8	FLAT/38.1/50.8




ITEM NO.	Ø
00-2514-58S	FLAT
33-2514-58S	33.7
42-2514-58S	42.4
48-2514-58S	48.3
38-2514-58S	38.1
50-2514-58S	50.8




ITEM NO.	Ø
00-2514-56S	FLAT
33-2514-56S	33.7
42-2514-56S	42.4
48-2514-56S	48.3
38-2514-56S	38.1
50-2514-56S	50.8



ITEM NO.	Ø
00-7004-R50S	FLAT
33-7004-R50S	33.7
42-7004-R50S	42.4
48-7004-R50S	48.3
38-7004-R50S	38.1
50-7004-R50S	50.8



ITEM NO.	Ø
00-2514-57S	FLAT
33-2514-57S	33.7
42-2514-57S	42.4
48-2514-57S	48.3
38-2514-57S	38.1
50-2514-57S	50.8



ITEM NO.	Ø
00-6012-510S	FLAT
33-6012-510S	33.7
42-6012-510S	42.4
48-6012-510S	48.3
38-6012-510S	38.1
50-6012-510S	50.8

HANDRAIL BRACKET | HANDLAUFHALTER WANDMONTAGE


AISI 304/AISI 316



ITEM NO.	Ø
00-7004-50S	FLAT
33-7004-50S	33.7
42-7004-50S	42.4
48-7004-50S	48.3
38-7004-50S	38.1
50-7004-50S	50.8




ITEM NO.	Ø
00-7004-51S	FLAT
33-7004-51S	33.7
42-7004-51S	42.4
48-7004-51S	48.3
38-7004-51S	38.1
50-7004-51S	50.8



ITEM NO.	Ø	H
7004-52S	FLAT	4
7006-52S	FLAT	6



ITEM NO.	Ø
00-7004-M8S	FLAT
33-7004-M8S	33.7
42-7004-M8S	42.4
48-7004-M8S	48.3
38-7004-M8S	38.1
50-7004-M8S	50.8



ITEM NO.	Ø
00-5025-54S	FLAT
33-5025-54S	33.7
42-5025-54S	42.4
48-5025-54S	48.3
38-5025-54S	38.1
50-5025-54S	50.8



ITEM NO.	Ø
00-7012-511S	FLAT
33-7012-511S	33.7
42-7012-511S	42.4
48-7012-511S	48.3
38-7012-511S	38.1
50-7012-511S	50.8



ELBOW/FLUSH ANGLE/ADJUSTABLE | ROHRBÖGEN/ROHRVERBINDER

AISI 304/AISI 316



ELBOW SYSTEM FOR TUBES $33.7 \times 2\text{MM}$,
 $42.4 \times 2\text{MM}$, $48.3 \times 2\text{MM}$, $38.1 \times 1.5\text{MM}$,
 $50.8 \times 1.5\text{MM}$, IN AISI 304, 316, WITH
SATIN OR POLISH FINISH;

INSTALLATION INSTRUCTIONS | MONTAGEANLEITUNG

MOUNTING 1



MOUNTING 2



MOUNTING 3




MOUNTING 4




ELBOW/FLUSH ANGLE | ROHRBÖGEN/ROHRVERBINDER


AISI 304/AISI 316




ITEM NO.	H	Ø
25-3320-60S	25	33.7x2.0
30-4220-60S	30	42.4x2.0
35-4820-60S	35	48.3x2.0
30-3815-60S	30	38.1x1.5
40-5015-60S	40	50.8x1.5




ITEM NO.	H	Ø
25-3320-62S	25	33.7x2.0
30-4220-62S	30	42.4x2.0
35-4820-62S	35	48.3x2.0
30-3815-62S	30	38.1x1.5
40-5015-62S	40	50.8x1.5




ITEM NO.	H	Ø
25-3320-61S	25	33.7x2.0
30-4220-61S	30	42.4x2.0
35-4820-61S	35	48.3x2.0
30-3815-61S	30	38.1x1.5
40-5015-61S	40	50.8x1.5



ITEM NO.	H	Ø
25-3320-63S	25	33.7x2.0
30-4220-63S	30	42.4x2.0
35-4820-63S	35	48.3x2.0
30-3815-63S	30	38.1x1.5
40-5015-63S	40	50.8x1.5



ITEM NO.	H	Ø
25-3320-68S	25	33.7x2.0
30-4220-68S	30	42.4x2.0
35-4820-68S	35	48.3x2.0
30-3815-68S	30	38.1x1.5
40-5015-68S	40	50.8x1.5



ITEM NO.	H	Ø
25-3320-69S	25	33.7x2.0
30-4220-69S	30	42.4x2.0
35-4820-69S	35	48.3x2.0
30-3815-69S	30	38.1x1.5
40-5015-69S	40	50.8x1.5

ELBOW/FLUSH ANGLE | ROHRBÖGEN/ROHRVERBINDER


AISI 304/AISI 316



ITEM NO.	H	Ø
04-3320-64S	4/5/6	33.7x2.0
04-4220-64S	4/5/6	42.4x2.0
04-4820-64S	4/5/6	48.3x2.0
04-3815-64S	4/5/6	38.1x1.5
04-5015-64S	4/5/6	50.8x1.5



ITEM NO.	H	Ø
25-3320-67S	50	33.7x2.0
30-4220-67S	65	42.4x2.0
35-4820-67S	75	48.3x2.0
30-3815-67S	65	38.1x1.5
40-5015-67S	85	50.8x1.5




ITEM NO.	H	Ø
60-3320-65S	27	33.7x2.0
60-4220-65S	31	42.4x2.0
60-4820-65S	32.5	48.3x2.0
60-3815-65S	32.5	38.1x1.5
60-5015-65S	31.5	50.8x1.5



ITEM NO.	H	Ø
22-3320-66S	22	33.7x2.0
27-4220-66S	27	42.4x2.0
30-4820-66S	30	48.3x2.0
25-3815-66S	25	38.1x1.5
31-5015-66S	31	50.8x1.5




ITEM NO.	H	Ø
29-3320-610S	29	33.7x2.0
25-4220-610S	25	42.4x2.0
23-4820-610S	23	48.3x2.0
27-3815-610S	27	38.1x1.5
22-5015-610S	22	50.8x1.5




ITEM NO.	H	Ø
29-3320-611S	29	33.7x2.0
25-4220-611S	25	42.4x2.0
23-4820-611S	23	48.3x2.0
27-3815-611S	27	38.1x1.5
22-5015-611S	22	50.8x1.5

END CAP | ROHRENDBOGEN

AISI 304/AISI 316



ITEM NO.	H	Ø
55-3320-612S	55	33.7x2.0
65-4220-612S	65	42.4x2.0
65-4820-612S	65	48.3x2.0
55-3815-612S	55	38.1x1.5*
70-5015-612S	70	50.8x1.5*



ITEM NO.	H	Ø
55-3320-613S	55	33.7x2.0
65-4220-613S	65	42.4x2.0
65-4820-613S	65	48.3x2.0
55-3815-613S	55	38.1x1.5*
70-5015-613S	70	50.8x1.5*



BASE PLATE & BASE COVER | ANKERPLATTE & ABDECKROSETTE



AISI 304/AISI 316



BASES AND COVERS
FOR DIFFERENT SIZE
TUBES OF 33.7MM,
42.4MM, 48.3MM,
38.1MM AND 50.8MM;
AND SQUARE TUBE
40*40MM, IN AISI 304,
316, WITH SATIN OR
POLISH FINISH;

BASE COVER | ABDECKROSETTE

AISI 304/AISI 316




ITEM NO.	Ø	H	D
12-4512-75S	12	12	45
14-4512-75S	14	12	45
12-7612-75S	12	12	76
14-7612-75S	14	12	76
33-7612-75S	33.7	12	76
38-7612-75S	38.1	12	76
42-7612-75S	42.4	12	76
33-8522-75S	33.7	22	85
38-8522-75S	38.1	22	85
42-8522-75S	42.4	22	85
42-10522-75S	42.4	22	105
48-10522-75S	48.3	22	105
50-10522-75S	50.8	22	105
42-12525-75S	42.4	25	125
48-12525-75S	48.3	25	125
50-12525-75S	50.8	25	125

ITEM NO.	D1	H	D
40-10825-76S	40x40	25	108




BASE PLATE | ANKERPLATTE


AISI 304/AISI 316




ITEM NO.	Ø	H	D
33-1006-70S	100	6	33.7
42-1006-70S	100	6	42.4
38-1008-70S	100	8	38.1
48-1008-70S	100	8	48.3
50-1010-70S	100	10	50.8




ITEM NO.	Ø	H	D
33-1006-71S	100	6	33.7
42-1006-71S	100	6	42.4
38-1008-71S	100	8	38.1
48-1008-71S	100	8	48.3
50-10010-71S	100	10	50.8




ITEM NO.	Ø	H
7006-72S	70	6



ITEM NO.	Ø	H
7006-73S	70	6




ITEM NO.	Ø	H
3304-74S	33.7	4
4204-74S	42.4	4
5004-74S	50.8	4
7004-74S	70	4
7006-74S	70	6



ITEM NO.	D	H	L
40-1006-77S	40×40	6	100×100
40-1206-77S	40×40	6	120×120

BRACKET & CONNECTOR | HALTER & VERBINDER


AISI 304/AISI 316




ITEM NO.	H	Ø
6812-81S	68	12
6814-81S	68	14
6816-81S	68	16




ITEM NO.	H	Ø
6812-80S	68	12
6814-80S	68	14
6816-80S	68	16




ITEM NO.	H	D
6812-87S	68	12x12
6814-87S	68	14x14
6816-87S	68	16x16



ITEM NO.	H	D
6812-86S	68	12x12
6814-86S	68	14x14
6816-86S	68	16x16




ITEM NO.	D	Ø
10-6216-88S	16	10
12-6218-88S	18	12
14-6220-88S	20	14




ITEM NO.	D	Ø
10-7014-89S	14	10
12-7016-89S	16	12
14-7018-89S	18	14

INSTALLATION INSTRUCTIONS | MONTAGEANLEITUNG


MOUNTING 1



MOUNTING 2




MOUNTING 3



BRACKET & CONNECTOR | HALTER & VERBINDER

AISI 304/AISI 316



ITEM NO.

Ø

7012-84S


12

7014-84S

14

7016-84S

16



ITEM NO.

Ø

7012-85S


12

7014-85S

14

7016-85S

16



ITEM NO.

Ø

7012-82S


12

7014-82S

14

7016-82S

16



ITEM NO.

Ø

7012-83S


12

7014-83S

14

7016-83S

16



ITEM NO.

D

10-05812-811S


12x1.0

10-58127-811S

12.7x1.0

15-05816-811S

16x1.5



ITEM NO.


D

12-7016-812S


12x12

INSTALLATION INSTRUCTIONS | MONTAGEANLEITUNG

MOUNTING 1



MOUNTING 2



CABLE SYSTEM | SEILSYSTEM

AISI 304/AISI 316



ITEM NO.	Ø	H	D
10-6012-813S	10	60	12
12-7014-813S	12	70	14
14-8016-813S	14	80	16



ITEM NO.	Ø	D
10-7012-814S	10	12
12-8014-814S	12	14
14-10016-814S	14	16




ITEM NO.	D	Ø
10-3616-810S	16	10
12-3618-810S	18	12
14-3620-810S	20	14



ITEM NO.	D1	D	L	Ø
04-4714-815S	4.0	14	47	33.7/42.4/48.3/38.1/50.8
05-4714-815S	5.0	14	47	33.7/42.4/48.3/38.1/50.8
06-4714-815S	6.0	14	47	33.7/42.4/48.3/38.1/50.8




ITEM NO.	D1	D	L	Ø
04-4714-816S	4.0	14	47	33.7/42.4/48.3/38.1/50.8
05-4714-816S	5.0	14	47	33.7/42.4/48.3/38.1/50.8
06-4714-816S	6.0	14	47	33.7/42.4/48.3/38.1/50.8




ITEM NO.	D1	D	L	Ø
04-1814-817S	4.0	14	47	33.7/42.4/48.3/38.1/50.8
05-1814-817S	5.0	14	47	33.7/42.4/48.3/38.1/50.8
06-1814-817S	6.0	14	47	33.7/42.4/48.3/38.1/50.8

INSTALLATION INSTRUCTIONS | MONTAGEANLEITUNG

MOUNTING 1




MOUNTING 2




CABLE SYSTEM | SEILSYSTEM


AISI 304/AISI 316




ITEM NO.	Ø	A	B	C
00-2285-818S	FLAT	8.5	22	19
33-2285-818S	33.7	8.5	22	19
42-2285-818S	42.4	8.5	22	19
48-2285-818S	48.3	8.5	22	19
38-2285-818S	38.1	8.5	22	19
50-2285-818S	50.8	8.5	22	19



ITEM NO.	Ø	A	B	C
00-2265-819S	FLAT	6.5	22	19
33-2265-819S	33.7	6.5	22	19
42-2265-819S	42.4	6.5	22	19
48-2265-819S	48.3	6.5	22	19
38-2265-819S	38.1	6.5	22	19
50-2265-819S	50.8	6.5	22	19








ITEM NO.	Ø
2065-820S	6.5



ITEM NO.	Ø	D	G
M6-1208-821S	12	8	M6
M8-1208-821S	12	8	M8



INSTALLATION INSTRUCTIONS | MONTAGEANLEITUNG



CABLE SYSTEM | SEILSYSTEM

AISI 304/AISI 316



ITEM NO.	Ø	D	H	L
04-18890-822S	4.0	6	90	188
06-220110-822S	6.0	8	110	220



ITEM NO.	Ø	D	L
04-7006-823S	4.0	6	70
06-8008-823S	6.0	8	80



ITEM NO.	Ø	D	L
04-13016-826S	4.0	16	130
05-13019-826S	5.0	19	130
06-13019-826S	6.0	19	130



ITEM NO.	G	D	L
06-5565-825S	6	6.5	55
08-5685-825S	8	8.5	56




ITEM NO.
827S



ITEM NO.	G	D	L
M6-2085-824S	M6	8.5	20
M10-30105-824S	M10	10.5	30


CABLE SYSTEM | SEILSYSTEM

AISI 304/AISI 316




INSTALLATION INSTRUCTIONS | MONTAGEANLEITUNG


MOUNTING 1




MOUNTING 2




MOUNTING 3




MOUNTING 4




MOUNTING 5




MOUNTING 1




MOUNTING 2



MOUNTING 3



MOUNTING 4



MOUNTING 5



SADDLE | ANSCHRAUBPLATTE

AISI 304/AISI 316



ITEM NO.	FOR BAR	Ø
00-6325-90S	12/14/16	FLAT



ITEM NO.	FOR BAR	Ø
00-6325-91S	12/14/16	33.7
42-6325-91S	12/14/16	42.4
48-6325-91S	12/14/16	48.3
38-6325-91S	12/14/16	38.1
50-6325-91S	12/14/16	50.8



ITEM NO.	FOR BAR	Ø
00-6225-92S	12/14/16	FLAT



ITEM NO.	FOR BAR	Ø
00-6225-93S	12/14/16	33.7
42-6225-93S	12/14/16	42.4
48-6225-93S	12/14/16	48.3
38-6225-93S	12/14/16	38.1
50-6225-93S	12/14/16	50.8




ITEM NO.	FOR BAR	Ø
00-3125-94S	12/14/16	FLAT




ITEM NO.	FOR BAR	Ø
33-3125-95S	12/14/16	33.7
42-3125-95S	12/14/16	42.4
48-3125-95S	12/14/16	48.3
38-3125-95S	12/14/16	38.1
50-3125-95S	12/14/16	50.8

INSTALLATION INSTRUCTIONS | MONTAGEANLEITUNG


MOUNTING 1




MOUNTING 2



MOUNTING 3




MOUNTING 4




HANDRAIL BRACKET | STIFTE


AISI 304/AISI 316




ITEM NO.	FOR BAR	Ø
00-71M8-96S	12/14	Flat
33-71M8-96S	12/14	33.7
42-71M8-96S	12/14	42.4
48-71M8-96S	12/14	48.3
38-71M8-96S	12/14	38.1
50-71M8-96S	12/14	50.8




ITEM NO.	FOR BAR	Ø
00-71M8-97S	12/14/16	Flat
33-71M8-97S	12/14/16	33.7
42-71M8-97S	12/14/16	42.4
48-71M8-97S	12/14/16	48.3
38-71M8-97S	12/14/16	38.1
50-71M8-97S	12/14/16	50.8



ITEM NO.	FOR BAR	Ø
00-71M8-98S	12/14/16	Flat
33-71M8-98S	12/14/16	33.7
42-71M8-98S	12/14/16	42.4
48-71M8-98S	12/14/16	48.3
38-71M8-98S	12/14/16	38.1
50-71M8-98S	12/14/16	50.8




ITEM NO.	FOR BAR	Ø
00-71M8-99S	12/14/16	Flat
33-71M8-99S	12/14/16	33.7
42-71M8-99S	12/14/16	42.4
48-71M8-99S	12/14/16	48.3
38-71M8-99S	12/14/16	38.1
50-71M8-99S	12/14/16	50.8




ITEM NO.	FOR BAR	Ø
00-71M8-910S	12/14/16	Flat
33-71M8-910S	12/14/16	33.7
42-71M8-910S	12/14/16	42.4
48-71M8-910S	12/14/16	48.3
38-71M8-910S	12/14/16	38.1
50-71M8-910S	12/14/16	50.8

MOUNTING 5



MOUNTING 6








ELBOW SYSTEM FOR TUBES $33.7 \times 2\text{MM}$, $42.4 \times 2\text{MM}$, $48.3 \times 2\text{MM}$, $38.1 \times 1.5\text{MM}$, $50.8 \times 1.5\text{MM}$, IN AISI 304, 316, WITH SATIN OR POLISH FINISH;


FLEXIBLE AND SETTLED HANDRAIL BRACKETS FOR TUBE 33.7MM , 38.1MM , 42.4MM , 50.8MM OR FLAT; IN AISI 304, 316, WITH SATIN OR POLISH FINISH;

HANDRAIL BRACKET | HANDLAUFHALTER ROHR


AISI 304/AISI 316




ITEM NO.	Ø	D
33-7814-911S	FLAT/33.7/42.4/48.3	33.7x2.0
42-7814-911S	FLAT/42.4/48.3	42.4x2.0
48-7814-911S	FLAT/48.3	48.3x2.0
38-7814-911S	FLAT/38.1/50.8	38.1x1.5
50-7814-911S	FLAT/50.8	50.8x1.5



ITEM NO.	Ø	D
33-7814-912S	FLAT/33.7/42.4/48.3	33.7x2.0
42-7814-912S	FLAT/42.4/48.3	42.4x2.0
48-7814-912S	FLAT/48.3	48.3x2.0
38-7814-912S	FLAT/38.1/50.8	38.1x1.5
50-7814-912S	FLAT/50.8	50.8x1.5




ITEM NO.	Ø	D
33-7814-913S	FLAT/33.7/42.4/48.3	33.7x2.0
42-7814-913S	FLAT/42.4/48.3	42.4x2.0
48-7814-913S	FLAT/48.3	48.3x2.0
38-7814-913S	FLAT/38.1/50.8	38.1x1.5
50-7814-913S	FLAT/50.8	50.8x1.5




ITEM NO.	Ø	D
33-7814-914S	FLAT/33.7/42.4/48.3	33.7x2.0
42-7814-914S	FLAT/42.4/48.3	42.4x2.0
48-7814-914S	FLAT/48.3	48.3x2.0
38-7814-914S	FLAT/38.1/50.8	38.1x1.5
50-7814-914S	FLAT/50.8	50.8x1.5

INSTALLATION INSTRUCTIONS | MONTAGEANLEITUNG


MOUNTING 1




MOUNTING 2



MOUNTING 3




MOUNTING 4




SQUARE TUBE SOLUTION | VIERKANTBÖGEN/VERBINDER


AISI 304/AISI 316




ITEM NO.	D
20-4040-915S	40x40x2




ITEM NO.	D
20-4040-916S	40x40x2




ITEM NO.	D
20-4040-917S	40x40x2



ITEM NO.	D
20-4040-920S	40x40x2



ITEM NO.	D
20-4040-918S	40x40x2




ITEM NO.	D
20-4040-919S	40x40x2

INSTALLATION INSTRUCTIONS | MONTAGEANLEITUNG


MOUNTING 1



MOUNTING 2




MOUNTING 3




HANDRAIL BRACKET | HANDLAUFHALTER ROHR


AISI 304/AISI 316




ITEM NO.	Ø	D
00-5700-921S	FLAT	42.4x2.0
33-5700-921S	FLAT/33.7/42.4/48.3	33.7x2.0
42-5700-921S	FLAT/42.4/48.3	42.4x2.0
48-5700-921S	FLAT/48.3	48.3x2.0
38-5700-921S	FLAT/38.1/50.8	38.1x1.5
50-5700-921S	FLAT/50.8	50.8x1.5




ITEM NO.	Ø	D
00-5700-922S	FLAT	42.4x2.0
33-5700-922S	FLAT/33.7/42.4/48.3	33.7x2.0
42-5700-922S	FLAT/42.4/48.3	42.4x2.0
48-5700-922S	FLAT/48.3	48.3x2.0
38-5700-922S	FLAT/38.1/50.8	38.1x1.5
50-5700-922S	FLAT/50.8	50.8x1.5



ITEM NO.	Ø	D
00-4930-923S	FLAT	42.4x2.0
33-4930-923S	FLAT/33.7/42.4/48.3	33.7x2.0
42-4930-923S	FLAT/42.4/48.3	42.4x2.0
48-4930-923S	FLAT/48.3	48.3x2.0
38-4930-923S	FLAT/38.1/50.8	38.1x1.5
50-4930-923S	FLAT/50.8	50.8x1.5



ITEM NO.	D
33-11912-924S	33.7x2.0
42-11912-924S	42.4x2.0
48-11912-924S	48.3x2.0
38-11912-924S	38.1x1.5
50-11912-924S	50.8x1.5



ITEM NO.	Ø	D
33-10012-925S	FLAT/33.7/42.4/48.3	33.7x2.0
42-10012-925S	FLAT/42.4/48.3	42.4x2.0
48-10012-925S	FLAT/48.3	48.3x2.0
38-10012-925S	FLAT/38.1/50.8	38.1x1.5
50-10012-925S	FLAT/50.8	50.8x1.5


HANDRAIL BRACKET | HANDLAUFHALTER ROHR

AISI 304/AISI 316




INSTALLATION INSTRUCTIONS | MONTAGEANLEITUNG


MOUNTING 1




MOUNTING 2



MOUNTING 3




MOUNTING 4




MOUNTING 1




MOUNTING 2




MOUNTING 3




MOUNTING 4




SHEET/BAR HOLDER | BLECHHALTER
AISI 304/AISI 316




ITEM NO.	Ø	D
00-2500-0100S	FLAT	25
00-3200-0100S	FLAT	32



ITEM NO.	D	Ø
16-2500-0102S	25	16




ITEM NO.	Ø	D
33-2500-0101S	33.7	25
42-2500-0101S	42.4	25
48-2500-0101S	48.3	25
38-2500-0101S	38.1	25
50-2500-0101S	50.8	25
33-3200-0101S	33.7	32
42-3200-0101S	42.4	32
48-3200-0101S	48.3	32
38-3200-0101S	38.1	32
50-3200-0101S	50.8	32




ITEM NO.	D	Ø
00-5325-0103S	18	FLAT
33-5325-0103S	18	33.7
42-5325-0103S	18	42.4
48-5325-0103S	18	48.3
38-5325-0103S	18	38.1
50-5325-0103S	18	50.8

INSTALLATION INSTRUCTIONS | MONTAGEANLEITUNG

MOUNTING 1



MOUNTING 2



MOUNTING 3




MOUNTING 4




BALUSTER BRACKET SOLUTION | PFOSTENHALTER


AISI 304/AISI 316




ITEM NO.	H	Ø
00-8530-0111S	30	33.7x2.0
42-8536-0111S	36	42.4x2.0
48-8540-0111S	40	48.3x2.0
38-8536-0111S	36	38.1x1.5
50-8540-0111S	40	50.8x1.5




ITEM NO.	H	Ø
33-8525-0110S	25	33.7x2.0
42-8525-0110S	25	42.4x2.0
48-8525-0110S	25	48.3x2.0
38-8525-0110S	25	38.1x1.5
50-8525-0110S	25	50.8x1.5




ITEM NO.	H	Ø
33-10050-0112S	50	33.7x2.0
42-10050-0112S	50	42.4x2.0
48-10050-0112S	50	48.3x2.0
38-10050-0112S	50	38.1x1.5
50-10050-0112S	50	50.8x1.5



ITEM NO.	H	Ø
33-10070-0113S	70	33.7x2.0
42-10070-0113S	70	42.4x2.0
48-10070-0113S	70	48.3x2.0
38-10070-0113S	70	38.1x1.5
50-10070-0113S	70	50.8x1.5




ITEM NO.	H	Ø
33-10016-0114S	16	33.7
42-10016-0114S	16	42.4
48-10016-0114S	16	48.3
38-10016-0114S	16	38.1
50-10016-0114S	16	50.8




ITEM NO.	H	D
40-10018-0115S	18	40x40

BALUSTER BRACKET SOLUTION | PFOSTENHALTER


AISI 304/AISI 316




ITEM NO.	H	B	Ø
33-15010-0116S	35	45	33.7
42-15010-0116S	35	50	42.4
48-15010-0116S	35	55	48.3
38-15010-0116S	35	45	38.1
50-15010-0116S	40	58	50.8




ITEM NO.	H	D
40-15010-0118S	35	40x40




ITEM NO.	H	Ø
33-3545-0117S	45	33.7
42-3550-0117S	50	42.4
48-3555-0117S	55	48.3
38-3545-0117S	45	38.1
50-4058-0117S	58	50.8



ITEM NO.	Ø
33-1006-0119S	33.7
42-1006-0119S	42.4
48-1006-0119S	48.3
38-1006-0119S	38.1
50-1006-0119S	50.8




ITEM NO.	Ø
33-1306-01110S	33.7
42-1306-01110S	42.4
48-1306-01110S	48.3
38-1306-01110S	38.1
50-1306-01110S	50.8




ITEM NO.	D
40-1306-01111S	40x40

U-TUBE SYSTEM | U-PROFILSYSTEM


AISI 304/AISI 316




ITEM NO.	H	Ø
42-3000-0120S	30	42.4x1.5
48-3500-0120S	35	48.3x1.5




ITEM NO.	H	Ø
42-3000-0121S	30	42.4x1.5
48-3500-0121S	35	48.3x1.5




ITEM NO.	H	Ø
42-0600-0122S	6	42.4x1.5
48-0600-0122S	6	48.3x1.5



ITEM NO.	H	Ø
42-3000-0125S	30	42.4x1.5
48-3500-0125S	35	48.3x1.5



ITEM NO.	H	Ø
42-0400-0123S	4	42.4x1.5
48-0400-0123S	4	48.3x1.5



ITEM NO.	H	Ø
42-0800-0124S	8	42.4x1.5
48-0800-0124S	8	48.3x1.5

INSTALLATION INSTRUCTIONS | MONTAGEANLEITUNG

MOUNTING 1



MOUNTING 2



MOUNTING 3




MOUNTING 4




U-TUBE SYSTEM | U-PROFILSYSTEM

AISI 304/AISI 316



ITEM NO.	U	H	H1	Ø
42-2424-0126S	24	37	24	42.4
48-2730-0126S	27	42.6	30	48.3




ITEM NO.	U	T
42-2412-0127S	24	11.5-13.5
42-2416-0127S	24	16-17.5
48-2715-0127S	27	15-17.5
48-2720-0127S	27	20-21.5




INSTALLATION INSTRUCTIONS | MONTAGEANLEITUNG


MOUNTING 1




MOUNTING 2



MOUNTING 3



MOUNTING 4





SE

STEIN EDELSTAHL

Your Dealer | Ihr Fachhändler: